

**Kenderes, K., Mihók, B. & Standovár, T. (2008):  
Thirty years of gap dynamics in a central  
european beech forest reserve. Forestry 81(1):  
111-123.**

Reference

Kenderes, K., Mihók, B. & Standovár, T. (2008): Thirty years of gap dynamics in a central european beech forest reserve. Forestry 81(1): 111-123.

Short reference

Kenderes et al. (2008)

First author

Kenderes Kata

Year

2008

Abstract

Thirty years of gap dynamics in a central european beech forest reserve

Kata Kenderes, Barbara Mihók and Tibor Standovár

Department of Plant Taxonomy and Ecology, Loránd Eötvös University, H-1117  
Budapest, Pázmány Péter sétány 1/C, Hungary

Summary

Investigation of gap characteristics and tree regeneration patterns is central for our understanding of forest dynamics. By integrating aerial photograph analyses and ground surveys, we provide a study of long-term canopy gap dynamics and tree regeneration patterns in a Hungarian beech forest reserve. We found (1) that in spite of the overall increase of gap area during the investigated 30-years (from 2.5 to 7.7 per cent), total gap area and average gap size (40-93 m<sup>2</sup>) were remarkably similar to those found in other temperate and tropical forests, (2) if the fate of individual gaps was followed, two to three times more intensive canopy dynamics (gap creation, closure and expansion) could be recognized than simple change of gap area indicated, and (3) average seedling density was considered to be sufficient for natural regeneration. However, it was apparent that recent increased deer browsing had prevented establishment of younger trees of 1-2 m in height, as taller saplings were recorded only in old gaps. Our results not only provide useful information on forest dynamics but can also contribute to understanding the potential roles that small forest reserves can play

in providing essential reference data for nature-based forest management of this forest type.

[habitat: oak-hornbeam forests, beech forests](#)

[forest dynamic, gap dynamic, succession](#)

[forest structure: regrowth](#)

Notes

Thirty years of gap dynamics in a central european beech forest reserve

Kata Kenderes, Barbara Mihók and Tibor Standovár

Department of Plant Taxonomy and Ecology, Loránd Eötvös University, H-1117

Budapest, Pázmány Péter sétány 1/C, Hungary

Tartalom címszavakban

Introduction

Materials and methods

Study area

Data collection

Data analyses

Results

The gap characteristics in the four study years

Processes of canopy dynamics

Regeneration

Discussion

Canopy dynamics

Regeneration

Practical implications

Funding

Acknowledgements

Conflict of Interest Statement

References

Címszavazva - GE

Journal

Forestry

Location

ER Archívum (2008/P-002)

Type

scientific paper

Strict forest reserves

[Őserdő Forest Reserve](#)

Attached document

[Kenderes et al Forestry 2008.pdf](#) 190.62 KB

Katalógusba vette

Gulyás Györgyi

Katalógusbavétel időpontja

Thu, 07/02/2009 - 12:00