

# **Barbati, A., Corona, P., Marchetti, M.: (szerk.)(2007): European forest types; categories and types for sustainable forest management reporting and policy; 2007, Koppenhága**

Reference: Barbati, Anna, Corona, Piermaria, Marchetti, Marco: (szerk.)(2007):  
European forest types; categories and types for sustainable forest  
management reporting and policy; 2007, Koppenhága

Short reference: Barbati és mtsai (szerk.)(2007)

First author: Barbati, Anna

Year: 2007

Abstract

Tartalom:

Acknowledgements

Executive summary

1. Reporting on sustainable forest management in Europe
  - 1.1 Political framework
  - 1.2 Forest types and forest biodiversity assessment
  - 1.3 Forest types: definition and requirements for MCPFE reporting
2. The diversity of European forests
  - 2.1 Natural determinants
  - 2.2 The anthropogenic footprint
3. Current and potential forest vegetation in Europe: an assessment
  - 3.1 Forest cover maps
  - 3.2 Cross-analysis of forest vegetation maps
4. European forest types: the classification system
  - 4.1 Limitation of earlier forest classifications
  - 4.2 European forest types: the classification scheme
    - 4.2.1 Development of the classification
    - 4.2.2 Classification structure
  - 4.3 criteria of the classification
5. Key to the classification
6. European forest types nomenclature: category and types descriptions
  - 6.1 Boreal forest

- 6.1.1 Spruce-dominated boreal forest
- 6.1.2 Pine-dominated boreal forest
- 6.2 Hemiboreal forest and nemoral coniferous and mixed broadleaved-coniferous forest
  - 6.2.1 Hemiboreal forest
  - 6.2.2 Nemoral Scots pine forest
  - 6.2.3 Nemoral spruce forest
  - 6.2.4 Nemoral black pine forest
  - 6.2.5 Mixed Scots pine-birch forest
  - 6.2.6 Mixed scots pine-pedunculate oak forest
- 6.3 Alpine coniferous forest
  - 6.3.1 Subalpine larch-arolla pine and dwarf pine forest
  - 6.3.2 Subalpine and mountainous spruce and mountainous mixed spruce-silver fir forest
  - 6.3.3 Alpine scots pine and Black pine forest
- 6.4 Acidophylous oak and oak-birch forest
  - 6.4.1 Acidophylous oakwood
  - 6.4.2 Oak-birch forest
- 6.5 Mesophytic deciduous forest
  - 6.5.1 Pedunculate oak-hornbeam forest
  - 6.5.2 Sessile oak-hornbeam forest
  - 6.5.3 Ashwood and oak-ash forest
  - 6.5.4 Maple-oak forest
  - 6.5.5 Lime-oak forest
  - 6.5.6. Maple-lime forest
  - 6.5.7 Lime forest
  - 6.5.8 Ravine and slope forest
  - 6.5.9 Other mesophytic deciduous forests
- 6.6 Beech forest
  - 6.6.1 Lowland beech forest of southern Scandinavia and north central Europe
  - 6.6.2 Atlantic and subatlantic lowland beech forest
  - 6.6.3 Subatlantic submountainous beech forest
  - 6.6.4 Central European submountainous beech forest
  - 6.6.5 Carpathian submountainous beech forest
  - 6.6.6 Illyrian submountainous beech forest
  - 6.6.7 Moesian submountainous beech forest
- 6.7 Mountainous beech forest
  - 6.7.1 South western European mountainous beech forest (Cantabrians, Pyrenees, central Massif, south western Alps)

- 6.7.2 Central European mountainous beech forest
- 6.7.3 Apennine-Corsican mountainous beech forest
- 6.7.4 Illyrian mountainous beech forest
- 6.7.5 Carpathian mountainous beech forest
- 6.7.6 Moesian mountainous beech forest
- 6.7.7 Crimean mountainous beech forest
- 6.7.8 Oriental beech and hornbeam-oriental beech forest
- 6.8 Thermophilous deciduous forest
  - 6.8.1 Downy oak forest
  - 6.8.2 Turkey oak, Hungarian oak and Sessile oak forest
  - 6.8.3 Pyrenean oak forest
  - 6.8.4 Portuguese oak and Mirbeck's oak Iberian forest
  - 6.8.5 Macedonian oak forest
  - 6.8.6 Valonia oak forest
  - 6.8.7 Chestnut forest
  - 6.8.8 Other thermophilous deciduous forests
- 6.9 Broadleaved evergreen forest
  - 6.9.1 Mediterranean evergreen oak forest
  - Cork oak and holm oak forest
  - Kermes and alder-leaved oak forest
  - 6.9.2 Olive-carob forest
  - 6.9.3 Palm groves
  - 6.9.4 Macaronesian laurisilva
  - 6.9.5 Other sclerophyllous forests
- 6.10 Coniferous forest of the mediterranean, Anatolian and macaronesian regions
  - 6.10.1 Thermophilous pine forest
  - 6.10.2 Mediterranean and Anatolian Black pine forest
  - 6.10.3 Canarian pine forest
  - 6.10.4 Mediterranean and Anatolian Scots pine forest
  - 6.10.5 Alti-Mediterranean pine forest
  - 6.10.6 mediterranean and Anatolian fir forest
  - 6.10.7 Juniper forest
  - 6.10.8 Cypress forest
  - 6.10.9 Cedar forest
  - 6.10.10 Tetraclinis articulata stands
  - 6.10.11 Mediterranean yew stands
- 6.11 Mire and swamp forests
  - 6.11.2 Alder swamp forest
  - 6.11.3 Birch swamp forest

6.11.4 Pedunculate oak swamp forest  
6.11.5 Aspen swamp forest  
6.12 Floodplain forest  
6.12.1 Riparian forest  
6.12.2 Fluvial forest  
6.12.3 Mediterranean and Macaronesian riparian forest  
6.13 Non-riverine alder, birch or aspen forest  
6.13.1 Alder forest  
6.13.2 Italian alder forest  
6.13.3 Mountain birch forest  
6.13.4 Other birch forest  
6.13.5 Aspen forest  
6.14 Plantations and self-sown exotic forest  
6.14.1 Plantation of site-native species  
6.14.2 Plantations of site-native species and self-sown exotic forest  
7. Conclusions and perspectives  
Acronyms used  
References  
Appendix I-Cross-analysis of forestvegetation maps- data table  
Appendix II-Classification keys

[biodiverzitás](#)

[erdőökológia](#)

[erdőtípusizálás, -osztályozás](#)

[Ex Libris Czájlik Péter](#)

Publisher: European Environmental Agency

Location: ER Archívum (2007/P-044)

Type: konferenciaközlemény, absztrakt

Katalógusba vette: Kovács Gabriella

Katalógusbavétel időpontja: Fri, 06/12/2015 - 12:00